

# SAFETY DATA SHEET

# TOTALLY DEFEND – TDWUG: PART A RESIN

Infosafe No.: LQ9FD ISSUED Date : 10/10/2019 ISSUED by: WORX PLUS UNIT TRUST

#### 1. IDENTIFICATION

#### **GHS Product Identifier**

TOTALLY DEFEND - TDWUG: PART A RESIN

#### **Company Name**

WORX PLUS UNIT TRUST (ABN 19 445 818 014)

#### **Address**

5/176 Canterbury Rd Bayswater Nth VIC Australia

# Telephone/Fax Number

Tel: 1300 897 873

#### **Emergency phone number**

131 126

#### Recommended use of the chemical and restrictions on use

Floor sealer

#### Disclaimer

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Worx Plus Unit Trust, makes no representations as to the completeness or accuracy thereof. Information is supplied on the conditions that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Worx Plus Unit Trust or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

#### 2. HAZARD IDENTIFICATION

# GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

Name	CAS	Proportion
Diproplyene glycol, monomethyl ether	34590-94-8	<8 %
Ingredients determined not to be hazardous, including water		Balance

#### 4. FIRST-AID MEASURES

#### **Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

#### **First Aid Facilities**

Eyewash and normal washroom facilities.

#### **Advice to Doctor**

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Use dry chemical, carbon dioxide, foam.

# **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

#### **Specific Hazards Arising From The Chemical**

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

# **Decomposition Temperature**

Not available

# **Precautions in connection with Fire**

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

### 6. ACCIDENTAL RELEASE MEASURES

# **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

As a water based product, if spilt on electrical equipment the product will cause short-circuits.

#### 7. HANDLING AND STORAGE

# **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

# Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing.

#### **Recommended Materials**

Polyethylene or polypropylene container.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Dipropylene glycol methyl ether

TWA: 50 ppm; 308 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.

Source: Safe Work Australia

#### **Biological Limit Values**

No biological limits allocated.

#### **Appropriate Engineering Controls**

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

#### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### **Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

# **Hand Protection**

Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i. e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	Appearance	Milky liquid mixes with water.
Colour	Milky liquid	Odour	Slight characteristic odour
<b>Decomposition Temperature</b>	Not available	Melting Point	Not available
<b>Boiling Point</b>	>100 °C	Solubility in Water	Miscible in water
Solubility in Organic Solvents	Not available	Specific Gravity	1.04
рН	Not available	Vapour Pressure	<2.3 kPa
Vapour Density (Air=1)	>1	Evaporation Rate	Not available
Odour Threshold	Not available	Viscosity	Not available
Volatile Component	VOC <50 g/L	Partition Coefficient: n- octanol/water	Not available
Flash Point	Not applicable	Flammability	Non-combustible
Auto-Ignition Temperature	Not applicable	Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable		

# 10. STABILITY AND REACTIVITY

# **Chemical Stability**

Stable under normal conditions of storage and handling.

# **Reactivity and Stability**

Reacts with incompatible materials.

# **Conditions to Avoid**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

Strong oxidising agents. Strong acids, bases.

# **Hazardous Decomposition Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

#### **Hazardous Polymerization**

Not available

# 11. TOXICOLOGICAL INFORMATION

# **Toxicology Information**

No toxicity data available for this material. Data for ingredients is given below.

# **Acute Toxicity - Oral**

Dipropylene glycol monomethyl ether

LD50 (rat): 5135 mg/kg

# **Acute Toxicity - Dermal**

Dipropylene glycol monomethyl ether

LD50 (rat): >19020 mg/kg

#### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### **Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

#### Skin

May be irritating to skin. The symptoms may include redness, itching and swelling. Prolonged or repeated skin contact may cause irritation and dermatitis.

Dipropylene glycol monomethyl ether

Skin (rabbit): 238 mg - mild Skin (rabbit): 500 mg (open)-mild

#### Eye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

Dipropylene glycol monomethyl ether

Eye (human): 8 mg - mild Eye (rabbit): 500 mg/24h - mild

#### Respiratory sensitisation

Not expected to be a respiratory sensitiser.

#### **Skin Sensitisation**

Not expected to be a skin sensitiser.

#### Germ cell mutagenicity

Not considered to be a mutagenic hazard.

#### Carcinogenicity

Not considered to be a carcinogenic hazard.

#### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

#### STOT-single exposure

Not expected to cause toxicity to a specific target organ.

# **STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

#### **Aspiration Hazard**

Not expected to be an aspiration hazard.

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Ecological data available for ingredients is given below.

# Persistence and degradability

Dipropylene glycol monomethyl ether Water/Soil/Air - Persistence: High

#### Mobility

Dipropylene glycol monomethyl ether Mobility in soil: Low (KOC = 10)

# **Bioaccumulative Potential**

Dipropylene glycol monomethyl ether Bioaccumulative potential: Low (BCF = 100)

#### **Other Adverse Effects**

Not available

# **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

#### 13. DISPOSAL CONSIDERATIONS

# **Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

# 14. TRANSPORT INFORMATION

#### **Transport Information**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **U.N. Number**

None Allocated

#### **UN proper shipping name**

None Allocated

#### Transport hazard class(es)

None Allocated

#### **IMDG Marine pollutant**

No

#### **Transport in Bulk**

Not available

# **Special Precautions for User**

Not available

#### 15. REGULATORY INFORMATION

#### **Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

# **Poisons Schedule**

Not Scheduled

#### **16. OTHER INFORMATION**

# Date of preparation or last revision of SDS

SDS Reviewed: October 2019 SDS Supersedes: May 2019

#### References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

# **Contact Person/Point**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Worx Plus Unit Trust, makes no representations as to the completeness or accuracy thereof. Information is supplied on the conditions that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Worx Plus Unit Trust or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

# **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical

Safety International Pty Ltd.
Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.
The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.
Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.